

Annex V: Pesticides used, categorised according to chemical class
 This is a draft paper for discussion. It should not be quoted, cited or reproduced.

	Bolognesi, 1993	Bolognesi, 2004	Bolognesi, 2002	Peluso, 1996	De Ferrari, 1991	Carbonell, 1995	Carbonell, 1993	Lander, 1995	Lander, 2000	Pasquini, 1996	Lebailly, 1998	Joksic, 1997	Piperakis 2003	Lucero, 2000	Pastor, 2001a	Pastor, 2001b	Pastor, 2003	Lebailly, 2003	Nehez, 1988	
Country	Italy	Italy	Italy	Italy	Italy	Spain	Spain	Denmark	Finland	Italy	France	Yugoslavia	Greece	Spain	Poland	Greece	Spain Greece Hungary Poland	France	Hungary	
Occupation	Floriculturist	Floriculturist	Floriculturist	Floriculturist	Floriculturist	Floriculturist Horticulturist	Floriculturist Horticulturist	Greenhouse worker	Greenhouse worker	Farmer	Farmer	Sprayer	Greenhouse worker	Agricultural worker	Agricultural worker	Agricultural worker	Agricultural worker	Farmer/ fruit grower	Agricultural worker	
Organophosphorus compounds																				
acephate			x			x	x	x							x		x			
chlorfenvinphos							x													
chlorpyrifos			x			x	x		x						x		x			
diazinon			x		x			x				x			x		x			
dichlorvos		x			x		x	x					x	x			x		x	
dimethoate			x		x	x	x								x		x	x		
ethoprophos		x	x															x		
etrimphos																				
fenitrothion						x	x													
fenthion			x			x														
fosetyl						x														
fosetyl-aluminium			x				x						x			x		x		
glyphosate		x	x	x			x										x	x		
heptenophos								x												
isofenphos						x	x													
malathion					x			x						x						
methamidophos	x	x		x		x	x						x	x			x	x		
methidathion	x	x											x	x			x			
methylazaphos					x		x	x										x	x	
mevinphos								x												
monocrotophos	x	x		x	x		x													
naled						x	x													
omethoate	x										x									
oxydemeton methyl								x												
parathion					x			x												
parathion methyl	x	x		x	x															
phorate					x															
phosalone																			x	
phosphamidon			x																	
phoxim								x												
pirimiphos methyl			x																	
profenofos			x																	
prothoate					x															
pyrazophos																				
pyrazophos						x	x	x											x	
terbufos					x															
thiometon							x					x								
trichlorofon					x															
vamidothion								x											x	
Organothiophosphate																				
pirimiphos-methyl																				x
sulfotep																				x
triazophos																				x
Pyrethroids																				
acrinathrin			x																	x
alfamethrin					x															x
alphamethrin															x					x
bifenthrin							x					x			x					x
cypermethrin			x			x	x	x	x						x					x
deltamethrin		x	x			x	x	x	x	x					x					x
fenpropathrin			x		x	x	x	x	x											x
fenvalerate						x	x	x							x					x
lambda-cyhalothrin															x					x
permethrin			x		x		x	x					x	x			x			x
piperonyl butoxide																				x
pyrethrins							x	x												x
tetramethrin																				x
tralomethrin													x	x			x			x

References

- Bolognesi, C., Landini, E., Perrone, E., and Roggeri, P. (2004). Cytogenetic biomonitoring of a floriculturist population in Italy: micronucleus analysis by fluorescence in situ hybridization (FISH) with an all-chromosome centromeric probe. *Mutat Res* **557**, 109-17.
- Bolognesi, C., Parrini, M., Bonassi, S., Ianello, G., and Salanitto, A. (1993a). Cytogenetic analysis of a human population occupationally exposed to pesticides. *Mutat Res* **285**, 239-49.
- Bolognesi, C., Parrini, M., Merlo, F., and Bonassi, S. (1993b). Frequency of micronuclei in lymphocytes from a group of floriculturists exposed to pesticides. *Toxicol Environ Health* **40**, 405-11.
- Bolognesi, C., Parrini, M., Reggiardo, G., Merlo, F., and Bonassi, S. (1993c). Biomonitoring of workers exposed to pesticides. *Int Arch Occup Environ Health* **65**, S185-7.
- Bolognesi, C., Perrone, E., and Landini, E. (2002). Micronucleus monitoring of a floriculturist population from western Liguria, Italy. *Mutagenesis* **17**, 391-7.
- Carbonell, E., Puig, M., Xamena, N., Creus, A., and Marcos, R. (1990). Sister chromatid exchange in lymphocytes of agricultural workers exposed to pesticides. *Mutagenesis* **5**, 403-5.
- Carbonell, E., Valbuena, A., Xamena, N., Creus, A., and Marcos, R. (1995). Temporary variations in chromosomal aberrations in a group of agricultural workers exposed to pesticides. *Mutat Res* **344**, 127-34.
- Carbonell, E., Xamena, N., Creus, A., and Marcos, R. (1993). Cytogenetic biomonitoring in a Spanish group of agricultural workers exposed to pesticides. *Mutagenesis* **8**, 511-7.
- De Ferrari, M., Artuso, M., Bonassi, S., Bonatti, S., Cavalieri, Z., Pescatore, D., Marchini, E., Pisano, V., and Abbondandolo, A. (1991). Cytogenetic biomonitoring of an Italian population exposed to pesticides: chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Mutat Res* **260**, 105-13.
- Falck, G. C., Hirvonen, A., Scarpato, R., Saarikoski, S. T., Migliore, L., and Norppa, H. (1999). Micronuclei in blood lymphocytes and genetic polymorphism for GSTM1, GSTT1 and NAT2 in pesticide-exposed greenhouse workers. *Mutat Res* **441**, 225-37.
- Jablonica, A., Polakova, H., Karellova, J., and Vargova, M. (1989). Analysis of chromosome aberrations and sister-chromatid exchanges in peripheral blood lymphocytes of workers with occupational exposure to the mancozeb-containing fungicide Novozir Mn80. *Mutat Res* **224**, 143-6.
- Joksic, G. A., V., and Spasojevic-Tisma, V. (1997). Cytogenic monitoring of pesticide sprayers. *Environ Res* **75**, 113-118.
- Kourakis, A., Mouratidou, M., Barbouti, A., and Dimikiotiou, M. (1996). Cytogenetic effects of occupational exposure in the peripheral blood lymphocytes of pesticide sprayers. *Carcinogenesis* **17**, 99-101.
- Kourakis, A., Mouratidou, M., Kokkinos, G., Barbouti, A., Kotsis, A., Mourelatos, D., and Dozi-Vassiliades, J. (1992). Frequencies of chromosomal aberrations in pesticide sprayers working in plastic green houses. *Mutat Res* **279**, 145-8.
- Lander, B. F., Knudsen, L. E., Gamborg, M. O., Jarvetaus, H., and Norppa, H. (2000). Chromosome aberrations in pesticide-exposed greenhouse workers. *Scand J Work Environ Health* **26**, 436-42.
- Lander, F., and Ronne, M. (1995). Frequency of sister chromatid exchange and hematological effects in pesticide-exposed greenhouse sprayers. *Scand J Work Environ Health* **21**, 283-8.
- Lebailly, P., Devaux, A., Pottier, D., De Meo, M., Andre, V., Baldi, I., Severin, F., Bernard, J., Durand, B., Henry-Amar, M., and Gauduchon, P. (2003). Urine mutagenicity and lymphocyte DNA damage in fruit growers occupationally exposed to the fungicide captan. *Occup Environ Med* **60**, 910-7.
- Lebailly, P., Vigreux, C., Lechevreil, C., Ledemeny, D., Godard, T., Sichel, F., LeTalaer, J. Y., Henry-Amar, M., and Gauduchon, P. (1998a). DNA damage in mononuclear leukocytes of farmers measured using the alkaline comet assay: discussion of critical parameters and evaluation of seasonal variations in relation to pesticide exposure. *Cancer Epidemiol Biomarkers Prev* **7**, 917-27.
- Lebailly, P., Vigreux, C., Lechevreil, C., Ledemeny, D., Godard, T., Sichel, F., LeTalaer, J. Y., Henry-Amar, M., and Gauduchon, P. (1998b). DNA damage in mononuclear leukocytes of farmers measured using the alkaline comet assay: modifications of DNA damage levels after a one-day field spraying period with selected pesticides. *Cancer Epidemiol Biomarkers Prev* **7**, 929-40.
- Linnainmaa, K. (1983). Sister chromatid exchanges among workers occupationally exposed to phenoxy acid herbicides 2,4-D and MCPA. *Teratog Carcinog Mutagen* **3**, 269-79.
- Lucero, L., Pastor, S., Suarez, S., Durban, R., Gomez, C., Parron, T., Creus, A., and Marcos, R. (2000). Cytogenetic biomonitoring of Spanish greenhouse workers exposed to pesticides: micronuclei analysis in peripheral blood lymphocytes and buccal epithelial cells. *Mutat Res* **464**, 255-62.
- Munnia, A., Puntoni, R., Merlo, F., Parodi, S., and Peluso, M. (1999). Exposure to agrochemicals and DNA adducts in Western Liguria, Italy. *Environ Mol Mutagen* **34**, 52-6.
- Mustonen, R., Kangas, J., Vuojolahti, P., and Linnainmaa, K. (1986). Effects of phenoxyacetic acids on the induction of chromosome aberrations in vitro and in vivo. *Mutagenesis* **1**, 241-5.
- Nehez, M., Boros, P., Ferke, A., Mohos, J., Palotas, M., Vetro, G., Zimanyi, M., and Desi, I. (1988). Cytogenetic examination of people working with agrochemicals in the southern region of Hungary. *Regul Toxicol Pharmacol* **8**, 37-44.
- Paldy, A., Puskas, N., Vincze, K., and Hadhazi, M. (1987). Cytogenetic studies on rural populations exposed to pesticides. *Mutat Res* **187**, 127-32.
- Pasquini, R., Scassellati-Sforzolini, G., Angeli, G., Fatigoni, C., Monarca, S., Beneventi, L., DiGiulio, A. M., and Bauleo, F. A. (1996). Cytogenetic biomonitoring of pesticide-exposed farmers in central Italy. *J Environ Pathol Toxicol Oncol* **15**, 29-39.
- Pastor, S., Creus, A., Parron, T., Cebulka-Wasilewska, A., Siffel, C., Piperakis, S., and Marcos, R. (2003). Biomonitoring of four European populations occupationally exposed to pesticides: use of micronuclei as biomarkers. *Mutagenesis* **18**, 249-58.
- Pastor, S., Creus, A., Xamena, N., Siffel, C., and Marcos, R. (2002a). Occupational exposure to pesticides and cytogenetic damage: results of a Hungarian population study using the micronucleus assay in lymphocytes and buccal cells. *Environ Mol Mutagen* **40**, 101-9.
- Pastor, S., Gutierrez, S., Creus, A., Cebulka-Wasilewska, A., and Marcos, R. (2001a). Micronuclei in peripheral blood lymphocytes and buccal epithelial cells of Polish farmers exposed to pesticides. *Mutat Res* **495**, 147-56.
- Pastor, S., Gutierrez, S., Creus, A., Xamena, N., Piperakis, S., and Marcos, R. (2001b). Cytogenetic analysis of Greek farmers using the micronucleus assay in peripheral lymphocytes and buccal cells. *Mutagenesis* **16**, 539-45.
- Pastor, S., Lucero, L., Gutierrez, S., Durban, R., Gomez, C., Parron, T., Creus, A., and Marcos, R. (2002b). A follow-up study on micronucleus frequency in Spanish agricultural workers exposed to pesticides. *Mutagenesis* **17**, 79-82.
- Peluso, M., Merlo, F., Munnia, A., Bolognesi, C., Puntoni, R., and Parodi, S. (1996). (32)P-postlabeling detection of DNA adducts in peripheral white blood cells of greenhouse floriculturists from western Liguria, Italy. *Cancer Epidemiol Biomarkers Prev* **5**, 361-9.
- Piperakis, S. M., Petrakou, E., Tsilimigaki, S., Sagnou, M., Monogiudis, E., Haniotakis, G., Karkaseli, H., and Sarikaki, E. (2003). Biomonitoring with the comet assay of Greek greenhouse workers exposed to pesticides. *Environ Mol Mutagen* **41**, 104-10.
- Scarpato, R., Migliore, L., Angotzi, G., Fedi, A., Miligi, L., and Loprieno, N. (1996). Cytogenetic monitoring of a group of Italian floriculturists: no evidence of DNA damage related to pesticide exposure. *Mutat Res* **367**, 73-82.
- Undeger, U., and Basaran, N. (2002). Assessment of DNA damage in workers occupationally exposed to pesticide mixtures by the alkaline comet assay. *Arch Toxicol* **76**, 430-6.